

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

**Amend Claim 5, as follows, to cancel "said article holders each includes article securement means and wherein".**

**Claim 5, with the proposed amendment entered, would read as follows:**

**5. A holding base system as in claim 4, wherein**

**[said article holders each includes article securement means and wherein] at least one of said article securement means includes a pair of bifurcated arms.**

#### **REMARKS**

**The rejection of Claims 4-7 as being unpatentable under 35 U.S.C. 112 is again respectfully traversed. It appears that the Examiner is now contending that Claims 4-7 are calling for something not disclosed in the application. The Examiner states that "with respect to claim 4, neither the specification nor the drawings described or showed the system of Claim 3 including a pair of base units connected by connector means, an article holder connected to each of the base units, angular adjusting means of the article holders relative to its respective base unit, in addition to article securement means on each of the article holders including strap means." Applicant notes that elements 96 and**

98 of the drawings are bifurcated arms of a base holder and that strap 110 (or 170) extends over the bifurcated arms to hold them against a secured article. Certainly, the term "bifurcated arms" is broad enough to include the arms 96 and 98 as well as the arms 138 and 140. Additionally it is noted that each of the bifurcated arms is disclosed as having article securement means such as the members 100 on the arms 96 and 98 and fingers 144 on the arms 138 and 140. These securement means are in addition to straps extending over the bifurcated arms.

Clearly, also, the splined connection described in the specification and shown in the drawings provides means for rotational adjustment between base and article holder. See in this regard page 2, lines 6-8, for example.

It is proposed to amend Claim 3, last line, as proposed by the Examiner.

It is proposed that Claim 5 be amended to cancel the double recitation of article securement means.

The rejection of claims 1 and 2 under 35 USC 102 as being anticipated by the patent to Wolker is again traversed. Once again applicant notes that Wolker does not show or even suggest the claimed cooperating splined members. Applicant's splined members are clearly

shown in the drawings to be splined such that as the members are assembled they can be rotated with respect to one another and then when assembled they are locked with respect to one another. This is not possible with the device of Wolker wherein one of the assembled members is always able to rotate with respect to one another.

The rejection of Claim 4 under 35 USC 103(a) is also again traversed for the reasons set forth above establishing that the Examiner's interpretation of the reference is improper.

Reconsideration and allowance of the Claims as proposed to be amended are requested.

A set of the Claims, as proposed to be amended is submitted herewith as Attachment "A".

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Dennis H. Hancock", written over a horizontal line.

Dennis Hancock  
(801) 874-2159

01-30-03  
Date

## **ATTACHMENT "A"**

### **CLAIMS**

- 1. A holding base system comprising**  
**at least one base unit including**  
**a platform;**  
**means for securing said platform to a surface;**  
**an exteriorly splined shaft extending from said**  
**platform; and**  
**an article holder including**  
**an interiorly splined socket fitting over and**  
**cooperating with said exteriorly splined shaft,**  
**and bifurcated arms extending from opposite**  
**sides of said socket.**
- 2. A holding base system as in Claim 1, wherein**  
**said bifurcated arms each have at least one flexible**  
**vane extending inwardly towards an opposite one of**  
**said bifurcated arms and towards said socket.**

**3. A holding base system including**  
**a pair of base units;**  
**connector means interconnecting said pair of base**  
**units;**  
**an article holder secured to each of said base units;**  
**and**  
**means for adjusting the angular relationship of at**  
**least one of said article holders relative to the**  
**base unit to which said article holder is secured.**

**4. A holding base system as in Claim 3, wherein**  
**said article holders each includes article securement**  
**means, and wherein**  
**at least one of said article securement means includes**  
**strap means to pass over an article to be**  
**secured and to be fastened to said securement**  
**means.**

**5. A holding base system as in Claim 4, wherein**  
**at least one of said article securement means includes**  
**a pair of bifurcated arms.**

**6. A holding base system as in Claim 5, wherein**

**each of said article securement means includes a pair  
of bifurcated arms.**

**7. A holding base system as in Claim 6, wherein**

**each of said bifurcated arms includes at least one  
flexible vane extending towards the other of said  
bifurcated arms and towards the base unit to which  
the bifurcated arms are secured.**